| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L5 | 25 | ("5592731").URPN. | USPAT | OR | ON | 2005/03/28 14:32 |
| L7 | 11 | (29/596).ccls. and ((stator near (segment or block or piece or partial)) and (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/28 14:46 |
| L8 | 4 | (29/598,606,607,609).ccls. and ((stator near (segment or block or piece or partial)) and (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/28 14:47 |
| L9 | 7 | (310/42,49A,257).ccls. and ((stator near (segment or block or piece or partial)) and (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/28 14:47 |
| S1 | 4 | stator adj electric adj device | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 13:30 |
| S2 | 3 | (calico-john-m).in. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 13:16 |
| S3 | 1534 | "29"/$.ccls. and (method or process) with stator | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 13:31 |
| S4 | 229 | "29"/$.ccls. and (method or process) adj (making or manufacturing or fabricating or assembling) adj stator | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 13:40 |
| S5 | 15 | (("5405574") or ("5611139") or ("5611230") or ("5689797") or ("6273963") or ("6432554") or ("20010051104") or ("6156264") or ("20020192103") or ("6232681") or ("20020005675") or ("6362544") or ("20020036367") or ("20020043302") or ("20020117907")).PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2005/03/25 14:49 |
| S6 | 362 | stator adj segment | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 14:49 |
| S7 | 96 | (stator adj segment) with (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:18 |
| S8 | 4 | (stator adj segment) with (pole or tooth or teeth) same (toroid or toroidal) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 14:50 |

| S9 | 106 | stator with (compact$3) with (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:23 |
|---|---|---|---|---|---|---|
| S10 | 15 | stator with (magneti$4 near powder) with (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:23 |
| S11 | 52 | stator with (magneti$4 near powder) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:24 |
| S12 | 1914 | stator with ((magneti$4 near powder) or mold$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 16:18 |
| S13 | 343 | stator with (mold or molding) same (magnetic or magnetized or magnetizing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:31 |
| S14 | 46 | stator with (mold or molding) same (magnetic or magnetized or magnetizing) and wiring | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:26 |
| S15 | 14 | stator with ((magneti$4 near powder) same mold$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:29 |
| S16 | 6 | ("4725752").URPN. | USPAT | OR | ON | 2005/03/25 15:30 |
| S17 | 85 | stator with (mold or molding) same ((magnetic or magnetized or magnetizing) near (powder or material)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:42 |
| S18 | 132 | rotor with (mold or molding) same ((magnetic or magnetized or magnetizing) near (powder or material)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:34 |
| S19 | 9 | ("20020041127" \| "20020047409" \| "4924130" \| "5500994" \| "5945758" \| "5945760" \| "6084496" \| "6225724" \| "6353275").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 15:37 |
| S20 | 6 | ("4725752").URPN. | USPAT | OR | ON | 2005/03/25 15:38 |
| S21 | 1534 | (mold or molding) with ((magnetic or magnetized or magnetizing) near (powder or material)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:42 |
| S22 | 680 | (mold or molding) with ((magnetic or magnetized or magnetizing) near (powder or material)) and (motor or rotor or stator) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:43 |
| S23 | 406 | (mold or molding) with ((magnetic or magnetized or magnetizing) near (powder or material)) and (motor or rotor or stator) and (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:43 |

| S24 | 210 | (mold or molding) with ((magnetic or magnetized or magnetizing) near (powder or material)) and (motor or rotor or stator) and (pole or tooth or teeth) and (winding or wiring) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 15:43 |
|---|---|---|---|---|---|---|
| S25 | 11 | ("3519858" \| "4110718" \| "4237397" \| "4417167" \| "4438362" \| "4935655" \| "5204569" \| "5796200" \| "6080352" \| "6462448").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 15:45 |
| S26 | 0 | ("6838797").URPN. | USPAT | OR | ON | 2005/03/25 15:45 |
| S27 | 26 | ("3628239" \| "3696260" \| "3840763" \| "3849682" \| "4403161" \| "4404484" \| "4486679" \| "4674178" \| "5097166" \| "5117553" \| "5250867" \| "5258678" \| "5298827" \| "5343128" \| "5359248" \| "5369324" \| "5369325" \| "5475277" \| "5508576" \| "5510662" \| "5532531" \| "5672926" \| "5684352" \| "5838086" \| "5864192" \| "6133662").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 15:47 |
| S28 | 4 | ("5932134").URPN. | USPAT | OR | ON | 2005/03/25 15:55 |
| S29 | 5 | ("4000229" \| "4148846" \| "4327346" \| "5563001" \| "5578670").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 15:55 |
| S30 | 15 | ("5548172").URPN. | USPAT | OR | ON | 2005/03/25 15:57 |
| S31 | 24 | ("3848331" \| "4823032" \| "4947065" \| "4956011" \| "4961016" \| "5004577" \| "5015982" \| "5105115" \| "5121021" \| "5210493" \| "5211896" \| "5221503" \| "5250255" \| "5397953" \| "5405574" \| "5472662" \| "5536985" \| "5589010" \| "5591373" \| "5680692" \| "5689797" \| "5691681" \| "5735679" \| "5772748").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 16:04 |
| S32 | 40 | ("4947065").URPN. | USPAT | OR | ON | 2005/03/25 16:07 |
| S33 | 27 | ("3255512" \| "3325760" \| "3708706" \| "4102040" \| "4211944" \| "4341845" \| "4388371" \| "4445353" \| "4492884" \| "4601765" \| "4613780" \| "4947065" \| "5063011" \| "5198137" \| "5211896" \| "5405574" \| "5591373" \| "5611139" \| "5611230" \| "5689797" \| "6426578" \| "6470563" \| "6484387" \| "6504284" \| "6550130").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 16:10 |
| S34 | 1 | ("6651309").URPN. | USPAT | OR | ON | 2005/03/25 16:11 |

| S35 | 178 | stator with (powder) with (compress$3 or press$3 or mold$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 16:42 |
|---|---|---|---|---|---|---|
| S36 | 93 | (stator with (powder) with (compress$3 or press$3 or mold$3)) and (wiring or winding) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 16:43 |
| S37 | 90 | (stator with (powder) with (compress$3 or press$3 or mold$3)) and (wiring or winding) and rotor | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 16:43 |
| S38 | 76 | (stator with (powder) with (compress$3 or press$3 or mold$3)) and (wiring or winding) and rotor and (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 16:45 |
| S39 | 8 | ((stator near (segment or block or piece or individual or mold$3)) with (powder) with (compress$3 or press$3 or mold$3)) and (wiring or winding) and rotor and (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:00 |
| S40 | 1 | ("20030192169").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2005/03/25 16:53 |
| S41 | 5 | (("5,982,073") or ("6,117,205") or ("3,909,647") or ("2,913,819") or ("5,554,900")).PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2005/03/25 16:54 |
| S42 | 1 | ("6599465").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2005/03/25 16:55 |
| S43 | 3 | (("2913819") or ("4255494") or ("4812305")).PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2005/03/25 16:55 |
| S44 | 12 | ("2913819").URPN. | USPAT | OR | ON | 2005/03/25 16:56 |
| S45 | 8 | ((stator near (segment or block or piece or individual or mold$3)) with (powder) with (compress$3 or press$3 or mold$3)) and (wiring or winding) and rotor and (pole or tooth or teeth) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:20 |
| S46 | 3 | ("5235231").URPN. | USPAT | OR | ON | 2005/03/25 17:04 |
| S47 | 8 | ("4620139" \| "4959578" \| "5051641" \| "5592039" \| "5773910" \| "5889348" \| "5982073" \| "6140726").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 17:05 |
| S48 | 6 | ("0658012" \| "2236291" \| "4547714" \| "5710474").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/25 17:19 |

| S49 | 22 | ((stator near (segment or block or piece or individual or mold$3)) with (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:23 |
|-----|-----|-----|-----|-----|-----|-----|
| S50 | 5 | ((stator near (segment or block or piece or individual)) with (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:34 |
| S51 | 2 | ((stator near (segment)) with (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:35 |
| S52 | 3 | (stator near (segment)) with (powder) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:34 |
| S53 | 670 | (stator near (segment)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:34 |
| S54 | 8 | (stator near (segment)) same (powder) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:34 |
| S55 | 23 | ((stator near (segment)) and (powder) with (compress$3 or press$3 or mold$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2005/03/25 17:35 |
| S56 | 25 | ("5592731").URPN. | USPAT | OR | ON | 2005/03/25 17:41 |